

Safety Data Sheet

OSHA format Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product name

Sulfuric Acid 1:1

Other means of identification	0444
Product Code(s)	6141
UN-No	1830
Recommended use of the chemica	al and restrictions on use
Recommended Use	Laboratory chemicals. Use as a laboratory reagent. Industrial (not for food or food contact use).
Details of the supplier of the safet	y data sheet
	LaMotte Company, Inc.
	802 Washington Ávenue
	P.O. Box 329
	Chestertown, MD 21620 USA
	T 410-778-3100
	F 410-778-9748
Emergency telephone number	
24 Hour Emergency Number (CHEM	I-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call
collect) 813-248-0585	

2. HAZARDS IDENTIFICATION

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

EMERGENCY OVERVIEW

DANGER POISON		
Hazard statements Causes severe skin burns and eye damage.		
Appearance Clear, colorless	Physical state liquid	Odor Odorless

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not taste or swallow. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands and any exposed skin thoroughly after handling. Keep out of the reach of children.

Precautionary Statements - Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN (or hair): Remove immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

IF SWALLOWED. Rinse mouth. Do NOT induce vomiting.

Precautionary Statements - Storage

Store locked up.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

May be harmful if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS*

Chemical name	CAS No	Weight-%
Sulfuric acid	7664-93-9	64

4. FIRST AID MEASURES		
First Aid Measures		
General advice	Do not get in eyes, on skin, or on clothing. Do not breathe dust/fume/gas/mist/vapors/spray.	
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Call a physician immediately.	
Skin contact	Wash off immediately with plenty of water for at least 15 minutes. Remove and isolate contaminated clothing and shoes. Wash contaminated clothing before reuse. Call a physician immediately.	
Inhalation	IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.	
Ingestion	Do NOT induce vomiting. Drink plenty of water. Clean mouth with water. Call a physician immediately. Never give anything by mouth to an unconscious person.	
Self-protection of the first aider	Use personal protection recommended in Section 8. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	

5. FIREFIGHTING MEASURES

Suitable extinguishing media

Dry chemical. Carbon dioxide (CO2). DO NOT USE WATER.

Specific hazards arising from the chemical

React vigorously and/or explosively with water.

Hazardous combustion products

Contact with metals may evolve flammable hydrogen gas.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

7. HANDLING AND STORAGE		
Methods for cleaning up	Neutralize spill with alkaline material (sodium bicarbonate), being careful to prevent splattering, then containerize slurry and hold for later disposal. If local regulations permit, dilute slurry with water and rinse to drain with excess water. After cleaning, flush away traces with water.	
Methods for containment	Contain and collect spillage with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see Section 13).	
Methods and material for containr	nent and cleaning up	
Environmental precautions	See Section 12 for additional Ecological Information.	
Personal precautions	Use personal protection recommended in Section 8. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid breathing vapors or mists.	

Precautions for safe handling

Handling Handle in accordance with good industrial hygiene and safety practice. Do not taste or swallow. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from incompatible materials such as cyanides or sulfides. Store away from strong bases or metals. Do not store near combustible materials. Keep out of the reach of children.
Incompatible Products	Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH	
Sulfuric acid	TWA: 0.2 mg/m ³ thoracic fraction	TWA: 1 mg/m ³	IDLH: 15 mg/m ³	
7664-93-9		(vacated) TWA: 1 mg/m ³	TWA: 1 mg/m ³	
Appropriate engineering controls				
Engineering Measures	Ensure adequate ventilation, especially in confined areas.			
Individual protection measures, s	uch as personal protective equip	oment		
Eye/Face Protection	Wear safety glasses with side s	hields (or goggles).		
Skin and body protection	Gloves & Lab Coat. Wear prote Nitrile rubber.	ctive gloves/clothing. Impervio	us clothing. Rubber gloves.	
Respiratory protection	When workers are facing conce appropriate certified respirators	•	limit they must use	
Hygiene Measures	Handle in accordance with good smoke when using this product the product. Take off contamina	. Wash hands before breaks a	nd immediately after handling	

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state	liquid	. .	
Appearance	Clear, colorless	Odor	Odorless
Property_	Values	<u>Remarks</u> • Me	<u>thod</u>
рН	<1		
Melting point / freezing point	No information available		
Boiling point / boiling range	<100 °C / 214 °F		
Flash point	Not Applicable		
Evaporation rate			
Flammability (solid, gas)	No information available		
Flammability Limit in Air			
Upper flammability limit:	No information available		
Lower flammability limit:	No information available		
Vapor pressure	No information available		
Vapor density	No information available		
Specific gravity	~1.57		
Water solubility	No information available		
Solubility in other solvents	No information available		
Partition coefficient	No information available		
Autoignition temperature	No information available		
Decomposition temperature	No information available		
Kinematic viscosity	No information available		
Dynamic viscosity	No information available		
Explosive properties	No information available		
Oxidizing properties	No information available		
Other Information			
Softening point	No information available		
Molecular weight	No information available		
VOC Content (%)	No information available		
Density	No information available		
Bulk density	No information available		
	10. STABILITY AND	REACTIVITY	
Stability	Stable under recommended sto	rage conditions.	

Stability	Stable under recommended storage conditions.
Hazardous Reactions	Reacts violently with water. Contact with metals may evolve flammable hydrogen gas.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Excessive heat. Incompatible Products. Protect from light.
Incompatible materials	Water. Strong bases. Metals. Combustible materials. Cyanides. Sulfides. Formaldehyde.
Hazardous decomposition product	s Hydrogen gas. Sulfur oxides (SOx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Component identificationChemical nameATEmix (oral)ATEmix (dermal)Inhalation LC50Sulfuric acid
7664-93-9= 2140 mg/kg (Rat)Not Established= 510 mg/m³ (Rat) 2 h

Information on toxicological effects

 Carcinogenicity
 IARC has classified "strong inorganic acid mists containing sulfuric acid" as a known human carcinogen, (IARC category 1). This classification applies only to occupational exposures to these mists. (Steel pickling / the manufacture of isopropyl alcohol by strong-acid process that uses sulfuric acid).

 Chemical name
 ACGIH
 IARC
 NTP
 OSHA

Sulfuric acid 7664-93-9	Not Established	Group 1	Known	Not Established
Chronic toxicity	Chronic exposure to corrosive mists or vapors may cause erosion of the teeth. Chronic			

exposure to mists containing sulfuric acid is a cancer hazard.

ATEmix (oral)

3,344.00 mg/kg mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Sulfuric acid	Not Established	500: 96 h Brachydanio rerio mg/L	29: 24 h Daphnia magna mg/L
7664-93-9		LC50 static	EC50

Persistence and degradability

No information available.

Bioaccumulation/Accumulation

When released into the soil, this material may leach into ground water. When released into the air, this material may be removed from the atmosphere to a moderate extent by wet or dry deposition.

Chemical name	Log Pow
Sulfuric acid	Not Established
7664-93-9	

13. DISPOSAL CONSIDERATIONS

Disposal Methods

Dispose of contents/containers in accordance with local regulations. When in compliance with local regulations, neutralize reagent to pH 7 with dilute base (NaOH/soda ash/slaked lime), then rinse to drain with excess water.

Contaminated packaging

Do not reuse empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Sulfuric acid	Not Established	-	Not Established	Not Established
7664-93-9				

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Sulfuric acid 7664-93-9	Not Established	Not Established	Not Established	Not Established

Chemical name	California Hazardous Waste Status
Sulfuric acid	Toxic
7664-93-9	Corrosive

14. TRANSPORT INFORMATION

DOT

Proper shipping name	SULFURIC ACID (> 51%ACID)
UN-No	1830
Hazard Class	8
Packing group	II
Reportable Quantity (RQ)	1000

IATA

Proper shipping name	SULFURIC ACID (> 51%ACID)
UN-No	1830

Hazard Class	8 11
Packing group	11

IMDG/IMO

Proper shipping name	SULFURIC ACID (> 51%ACID)
UN-No	1830
Hazard Class	8
Packing group	II

15. REGULATORY INFORMATION

International Inventories	
TSCA	Complies
DSL/NDSL	Complies
EINECS/ELINCS	Complies
ENCS	Complies
IECSC	Complies
KECL	Complies
PICCS	Complies
AICS	Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances IECSC - China Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %	
Sulfuric acid	1.0	
7664-93-9		
SARA 311/312 Hazard Categories		
Acute health hazard	Yes	
Chronic Health Hazard	Yes	
Fire hazard	No	
Sudden release of pressure hazard	No	
Reactive Hazard	Yes	

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Sulfuric acid 7664-93-9	1000 lb	Not Established	Not Established	Х

<u>CERCLA</u>

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Sulfuric acid	1000 lb	1000 lb	RQ 1000 lb final RQ
7664-93-9			RQ 454 kg final RQ

US State Regulations

California Proposition 65

California Proposition 65 has classified "strong inorganic acid mists containing sulfuric acid" as a chemical known to the State of California to cause cancer. This classification applies only to occupational exposures to these mists generated during manufacturing processes which sulfuric acid is used or produced.

California Proposition 65
Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Sulfuric acid	Х	X	Х
7664-93-9			

CPSC (Consumer Product Safety Commission) - Specially Regulated Substances

Chemical name		CPSC	CPSC (Consumer Product Safety Commission) - Specially Regulated Substances					
Sulfuric acid 7664-93-9			Add POISON to label, 16 CFR 1500.129					
16. OTHER INFORMATION								
NFPA_	Health hazard 3	Flammability 0	Instability 0	Physical and Chemical Hazards W				
HMIS_	Health hazard 3	Flammability 0	Stability 2					
3 0	>							
Health Hazard	3							
Fire Hazard	0							
Reactivity	2							

Prepared by Issuing Date Disclaimer

Regulatory Affairs Department Apr-06-2015

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet