

Safety Data Sheet

Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product name Potassium Reagent C

Other means of identification

 Product Code(s)
 5162

 UN-No
 1170

Recommended use of the chemical and restrictions on use

Recommended Use Use as a laboratory reagent. Industrial (not for food or food contact use). Laboratory

chemicals.

Details of the supplier of the safety data sheet

Manufacturer Address LaMotte Company, Inc. 802 Washington Avenue

P.O. Box 329

Chestertown, MD 21620 USA

T 410-778-3100 F 410-778-9748

Emergency telephone number

24 Hour Emergency Number (CHEM-TEL):USA, Canada, Puerto Rico 1-800-255-3924 Outside North American Continent (Call collect) 813-248-0585

2. HAZARDS IDENTIFICATION

Acute toxicity - Oral	Category 4
Serious eye damage/eye irritation	Category 2A
Germ cell mutagenicity	Category 1B
Carcinogenicity	Category 1A
Reproductive Toxicity	Category 1A
Specific target organ toxicity (single exposure)	Category 2
Specific target organ toxicity (repeated exposure)	Category 1
Physical hazards Flammable Liquids.	Category 2

EMERGENCY OVERVIEW

DANGER

Hazard statements

Harmful if swallowed. Causes serious eye irritation. May cause genetic defects. May cause cancer. May damage fertility or the unborn child. May cause damage to organs. Causes damage to organs through prolonged or repeated exposure. . Highly flammable liquid and vapor.



Appearance Clear yellow solution Physical state liquid Odor Alcohol

Precautionary Statements - Prevention

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands and any exposed skin thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Keep away from heat/sparks/open flames/hot surfaces. — No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell, Rinse mouth

In case of fire: Use CO2, dry chemical, or foam for extinction

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant.

Other Hazards

Toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name	CAS No	Weight-%
Methyl alcohol	67-56-1	4
Ethyl alcohol	64-17-5	80

4. FIRST AID MEASURES

First Aid Measures

General advice Do not get in eyes, on skin, or on clothing. Consult a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call

a physician immediately.

Skin contact Wash off immediately with soap and plenty of water for at least 15 minutes. Take off

contaminated clothing and wash before reuse. Consult a physician if necessary.

Inhalation IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. If

symptoms persist, call a physician.

Ingestion Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Call a

physician immediately.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. For personal protection see

Section 8.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Water spray, dry chemical, carbon dioxide (CO₂), or foam.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions See section 8. Ensure adequate ventilation. Remove all sources of ignition.

Environmental precautionsSee Section 12 for additional Ecological Information.

Methods and material for containment and cleaning up

Methods for containment Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste

container. Dispose according to federal, state, and local regulations.

Methods for cleaning up After cleaning, flush away traces with water.

7. HANDLING AND STORAGE

Precautions for safe handling

HandlingUse only in area provided with appropriate exhaust ventilation. Handle in accordance with

good industrial hygiene and safety practice. Prevent contact with skin, eyes, and clothing.

Do not taste or swallow. Do not eat, drink, or smoke when using this product.

Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat

and sources of ignition. Do not store near combustible materials. Keep out of the reach of

children.

Incompatible Products Strong oxidizing agents. Strong acids.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Methyl alcohol 67-56-1	250 ppm STEL TWA: 200 ppm	TWA: 200 ppm TWA: 260 mg/m ³	IDLH: 6000 ppm TWA: 200 ppm
		-	TWA: 260 mg/m³ STEL: 250 ppm STEL: 325 mg/m³
Ethyl alcohol 64-17-5	1000 ppm STEL	TWA: 1000 ppm TWA: 1900 mg/m³	IDLH: 3300 ppm TWA: 1000 ppm TWA: 1900 mg/m³

Appropriate engineering controls

Engineering Measures Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with side shields (or goggles).

Skin and body protection Wear protective gloves/clothing. Nitrile rubber. Gloves & Lab Coat.

for SDA (3A) Ethyl Alcohol

mmHg @ 20°C for SDA (3A) Ethyl Alcohol

@ 20°C (Air=1) for SDA (3A) Ethyl Alcohol

Respiratory protection Use only with adequate ventilation.

Hygiene Measures Do not eat, drink or smoke when using this product.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state liquid

Appearance Clear yellow solution Odor Alcohol

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH Not Applicable

Melting point / freezing point No information available

Boiling point / boiling range 78.5 °C / 173.3 °F for SDA (3A)

Ethyl Alcohol

Flash point 16 °C / 60.8 °F

Evaporation rate

Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit: 19%
Lower flammability limit: 3.3%
Vapor pressure 48
Vapor density 1.6

No information available Specific gravity No information available Water solubility No information available Solubility in other solvents **Partition coefficient** No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available Dynamic viscosity No information available **Explosive properties** No information available Oxidizing properties No information available

Other Information

Softening pointNo information availableMolecular weightNo information availableVOC Content (%)No information availableDensityNo information availableBulk densityNo information available

10. STABILITY AND REACTIVITY

StabilityStable under recommended storage conditions. **Hazardous polymerization**Hazardous polymerization does not occur.

Conditions to avoid Heat, flames and sparks.

Incompatible materials Strong oxidizing agents. Strong acids.

Hazardous decomposition products Carbon oxides (COx).

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Methyl alcohol	= 6200 mg/kg (Rat)	= 15800 mg/kg (Rabbit)	= 22500 ppm (Rat) 8 h = 64000

67-56-1			ppm(Rat)4 h
Ethyl alcohol 64-17-5	= 7060 mg/kg(Rat)	Not Established	= 124.7 mg/L (Rat)4 h

Information on toxicological effects

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	ACGIH	IARC	NTP	OSHA
Methyl alcohol 67-56-1	Not Established	Not Established	Not Established	Not Established
Ethyl alcohol 64-17-5	A3	Group 1	Known	Х

NTP (National Toxicology Program)

Known - Known Carcinogen

Chronic toxicity Ethanol has been shown to be a reproductive toxin only when consumed as an alcoholic

beverage. Prolonged skin contact may cause skin irritation and/or dermatitis.

ATEmix (oral) 1948 ATEmix (dermal) 7500 mg/kg ATEmix (inhalation-dust/mist) 12.5 mg/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

Unknown Aquatic Toxicity 15.9 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical name	Toxicity to Algae	Toxicity to Fish	Daphnia Magna (Water Flea)
Methyl alcohol 67-56-1	Not Established	13500 - 17600: 96 h Lepomis macrochirus mg/L LC50 flow-through 18 - 20: 96 h Oncorhynchus mykiss mL/L LC50 static 19500 - 20700: 96 h Oncorhynchus mykiss mg/L LC50 flow-through 28200: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	
Ethyl alcohol 64-17-5	Not Established	12.0 - 16.0: 96 h Oncorhynchus mykiss mL/L LC50 static 13400 - 15100: 96 h Pimephales promelas mg/L LC50 flow-through 100: 96 h Pimephales promelas mg/L LC50 static	9268 - 14221: 48 h Daphnia magna mg/L LC50 10800: 24 h Daphnia magna mg/L EC50 2: 48 h Daphnia magna mg/L EC50 Static

Persistence and degradability

Ethanol: When released into the soil, this material is expected to leach into groundwater. When released into the soil, this material is expected to quickly evaporate. When released into water, this material may evaporate to a moderate extent. When released into the air, this material is expected to be readily degraded by reaction with photochemically produced hydroxyl radicals. When released into the air, this material is expected to be readily removed from the atmosphere by dry and wet deposition. When released into the air, this material is expected to have a half-life between 1 and 10 days.

Bioaccumulation/Accumulation

No information available.

Chemical name	Log Pow
Methyl alcohol 67-56-1	-0.77
Ethyl alcohol 64-17-5	-0.32

13. DISPOSAL CONSIDERATIONS

Disposal MethodsDispose of waste product or used containers according to local regulations.

Contaminated packaging Do not reuse empty containers.

Chemical name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
Methyl alcohol 67-56-1	Not Established	Included in waste stream: F039	Not Established	Ignitable waste
Ethyl alcohol 64-17-5	Not Established	-	Not Established	Not Established

Chemical name	RCRA - Halogenated Organic Compounds	RCRA - P Series Wastes	RCRA - F Series Wastes	RCRA - K Series Wastes
Methyl alcohol 67-56-1	Not Established	Not Established	Not Established	Not Established
Ethyl alcohol 64-17-5	Not Established	Not Established	Not Established	Not Established

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical name	California Hazardous Waste Status
Methyl alcohol 67-56-1	-
Ethyl alcohol 64-17-5	-

14. TRANSPORT INFORMATION

DOT

Proper shipping name ETHANOL SOLUTION (Ethyl Alcohol Solution)

UN-No 1170 **Hazard Class** 3 Packing group Ш

<u>IATA</u>

Proper shipping name ETHANOL SOLUTION (Ethyl Alcohol Solution)

UN-No 1170 **Hazard Class** 3 **Packing group** Ш

IMDG/IMO

ETHANOL SOLUTION (Ethyl Alcohol Solution) Proper shipping name

UN-No 1170 **Hazard Class** 3 Ш Packing group

15. REGULATORY INFORMATION

International Inventories

TSCA Does not comply Complies **DSL/NDSL EINECS/ELINCS** Complies **ENCS** Does not comply **IECSC** Complies **KECL** Complies Complies **PICCS** Complies **AICS**

<u>Legend:</u>
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

Chemical name	SARA 313 - Threshold Values %
Methyl alcohol 67-56-1	1.0
Ethyl alcohol 64-17-5	Not Established

SARA 311/312 Hazard Categories

Acute health hazard Yes
Chronic Health Hazard Yes
Fire hazard Yes
Sudden release of pressure hazard No
Reactive Hazard No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Methyl alcohol 67-56-1	Not Established	Not Established	Not Established	Not Established
Ethyl alcohol 64-17-5	Not Established	Not Established	Not Established	Not Established

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	RQ
Methyl alcohol 67-56-1	5000 lb	Not Established	RQ 5000 lb final RQ RQ 2270 kg final RQ
Ethyl alcohol 64-17-5	-	Not Established	-

US State Regulations

California Proposition 65

WARNING! This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

(Ethyl alcohol is only considered a Proposition 65 cancer and developmental hazard when it is ingested as an alcoholic beverage)

	ary alcohoric only concluded a reposition of cancer and developmental nazara when the ingected de an alcohoric beverage,		
Chemical name		California Proposition 65	
	Methyl alcohol 67-56-1	Developmental	
	Ethyl alcohol 64-17-5		

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania		
Methyl alcohol 67-56-1	X	X	X		
Ethyl alcohol 64-17-5	X	X	X		
16 OTHER INFORMATION					

NFPA Health hazard 2 Flammability 3 Instability 0 Physical and Chemical Hazards N/A

HMIS Health hazard 2 Flammability 3 Stability 0



Prepared by Regulatory Affairs Department

Issuing DateJun-08-2015Revision DateJun-08-2015

Reason for revision (M)SDS sections updated 1 15 Update to Format

Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Material Safety Data Sheet